

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1.-11. (Cancelled).

12. (Currently Amended) An electronic device configured to be used with an access device and a server device having operation ~~screen~~-information, comprising:

an operation ~~screen~~-information storage part which stores operation ~~screen~~ information that is information to configure a screen for operating operation of one of the electronic device and another electronic device;

an operation ~~screen~~-information transmission part which transmits the operation ~~screen~~-information at a request of the access device, the access device storing a server identifier of the server device and requesting a locator of the electronic device from the server device using the server identifier such that the operation information is transmitted after the access device receives at the locator of the electronic device from the server device;

a device operation ~~screen~~-information reception part which accepts device operation information; and

a device drive part which operates based on the device operation information that the device operation ~~screen~~-information reception part has accepted.

13. (Previously Presented) The electronic device as recited in claim 12, further comprising:

a device operation information setting part which stores the device operation information accepted by the device operation information reception part,

wherein the device drive part operates based on the device operation information stored by the device operation information setting part.

14. (Currently Amended) An information processing method to be used in an electronic device configured to be used with an access device and a server device, comprising:

an operation ~~screen~~-information transmission step of transmitting operation ~~screen~~-information that is information to configure ~~a screen for operating operation of~~ one of the electronic device and another electronic device, at a request;

a server identification storing step of storing a server identifier of the server device, in the access device;

a locator requesting step of requesting a locator of the electronic device from the server device using the server identifier such that the operation information is transmitted after the access device receives the locator of the electronic device from the server device;

a device operation information reception step of accepting device operation information; and

a device drive step of operating based on the device operation information accepted at the device operation information reception step.

15. (Previously Presented) The information processing method as recited in claim 14, further comprising:

a device operation information setting step of storing the device operation information accepted at the device operation information reception step,

wherein an operation is carried out based on the device operation information stored at the device operation information setting step, at the device drive step.

16. (New) The electronic device as recited in claim 12, wherein:

the operation information storage part includes an operation screen information storage part which stores operation screen information to configure a screen for operating one of the electronic device and another electronic device;

the operation information transmission part includes the operation screen information transmission part which transmits the operation screen information at the request of the access device, the operation screen information is transmitted after the access device receives the locator of the electronic device from the server device;

the device operation information reception part includes a device operation screen information reception part which accepts device operation screen information; and

the device drive part operates based on the device operation information that the device operation screen information reception part has accepted.

17. (New) The information processing method as recited in claim 14, wherein the operation information transmission step includes transmitting operation screen information that is information to configure a screen for operating one of the electronic device and another electronic device, at the request.